


WARP KNITTING
经编机

RJ 5/1



A new product for producing stylish lingerie items and inelastic lace-like fabric
生产弹力内衣和无弹花边面料的全新机型

Your benefit

- Increased output ratio of your investment
- Fewer process steps of finished products
- Saved workshop space
- Connection to Wi-Fi

您的优势

- 高效的产出比
- 减少成品加工流程
- 减少机器占地面积
- 支持无线连接设备

RJ 5/1

Technical data

技术参数


Stitch forming 成圈

Jacquard bar
花梳



1-2

Ground bars
地梳



3

4

5

Inlay lapping 衬纬

Ground bar
地梳



6

Working width / Gauge

330 cm = 130 inches
E 28, E 32

Yarn let-off device

Five electronically controlled yarn let-off gears for ground guide bars; six position optional

Pattern device

Six pattern discs for two Jacquard bars in split execution and four ground guide bars

KAMCOS®

(KARL MAYER COMMAND SYSTEM)

Operator interface to configure, control and adjust the electronic functionality of the machine

Fabric take-up

Electronically regulated fabric take-up, driven by geared motor and consisting of four rollers

Batching device

Free-standing batching device No. 52, Batching device No. 34F optional

Electrical equipment

Speed-regulated drive, connected load 21 kVA

工作门幅/机号

330 cm = 130英寸
E 28, E 32

送经机构

5套电子送经装置控制贾卡梳和地梳; 可选配6套系统

提花机构

6个花盘。其中2个用于分离式贾卡梳, 4个用于地梳

卡迈酷斯® (卡尔迈耶控制系统)

操作界面, 用于设置、控制和调节机器的电控部分功能

织物牵拉机构

电子控制的织物牵拉, 通过电机传动, 由4个罗拉组成

卷取机构

52号卷取机构, 独立式
34号卷取机构作为选配

电子设备

调速传动, 机器总连接负荷21kA